

## MANUFACTURERS STATEMENT

When applying SURE DRIP to a severely blocked or troubled irrigation system, allow SURE DRIP to remain in lines for a minimum of 36 to 72 hours, then open all line ends and flush the system thoroughly before use. After your system has been cleaned and flushed, use SURE DRIP once a week applied during the last hour of the irrigation cycle to lubricate and keep your system flowing free of mineral deposits and all other inanimate contaminants carried in irrigation water. SURE DRIP will maintain even water distribution throughout the entire system. DO NOT MIX SURE DRIP with liquid fertilizers or oil base products. Apply fertilizers at the start of the irrigation cycle allowing sufficient time for fertilizers to exit before introducing SURE DRIP into the system.

### READ ALL LABEL INSTRUCTIONS BEFORE USING THIS PRODUCT

#### PRECAUTIONARY STATEMENT CONTAINS HYDROCHLORIC ACID

Always wear protective clothing and rubber gloves when handling this material. Protect face and eyes with goggles or face shield. IN CASE OF CONTACT WITH EYES, FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES, IF IRRITATION PERSISTS SEEK MEDICAL ATTENTION.  
IF SWALLOWED, DRINK ONE TO TWO GLASSES OF MILK OR WATER CALL A PHYSICIAN IF DISCOMFORT CONTINUES. SKIN CONTACT, RINSE SKIN THOROUGHLY WITH CLEAN WATER . PROLONGED CONTACT CAN CAUSE IRRITATION TO EYES, OPEN CUTS OR SORES IF NOT RINSED IMMEDIATELY.

## APPLICATION RATES

### SEVERE BLOCKAGE /SHOCK TREATMENT

#### TREES AND VINES

Apply 1 gallon SURE DRIP per every 10 Acres

#### SUB SURFACE & OTHER IRRIGATION SYSTEMS

Apply 1 1/2 gallons SURE DRIP per every 10 acres.

**APPLICATION:** Total the number of gallons needed to properly treat your system, convert the total gallons needed into ounces. Divide the total amount of ounces by the length of time in minutes it takes to fill your system. Dividing the ounces from the minutes will provide the number of ounces to be injected into the system per minute to achieve equal distribution throughout the entire system. Let stand for 36 to 72 hours then open all line ends and begin flushing the system thoroughly until clean water appears.

#### DETERMINING THE AMOUNT OF OUNCES INJECTED PER MINUTE:

Example - 50 acres of sub surface irrigation at the rate of 1 1/2 gal per every 10 acres = 7 1/2 gals or 960 ounces. The length of time is 25 minutes. The equation, 960 divided by 25 = 38.4 ounces. Rate of injection is 38.4 ounces per minute for 25 minutes then shut the system down.

# SURE DRIP

## CLEANER AND MAINTAINER FOR ALL DRIP IRRIGATION SYSTEMS

- Completely Safe on all Agricultural Crops
  - Drip-A-Tron is Non-Volatile and Nonflammable / Biodegradable
  - Non-Polluting Non-Toxic

### Organic Ingredients

#### GUARANTEED ANALYSIS:

Hydrochloric Acid (HCL) (USP).....	5.00%
Phosphoric Acid (USP).....	10.00%
Quzyme (Organic Enzymes).....	2.00%
Cutrine (USP).....	1.00%
Hum-Aid (USP).....	2.00%
Spirostant (USP).....	20.00%
Sarsaponin (USP).....	10.00%
Parigenin (USP).....	15.00%
Sarapogenin (USP).....	11.00%
Inert Ingredients (Organic).....	24.00%

### NON-PLANT FOOD INGREDIENTS

## WARRANTY

Because the manufacturer has no control over the dispersing or the use of this product, no warranty is expressed or implied. In no case will the manufacturer be held responsible for damages resulting from failure to use according to specific directions. The buyer will assume all risks and liabilities resulting from the improper handling of this product

## CAUTION:

**KEEP OUT OF THE REACH OF CHILDREN  
AVOID CONTACT WITH EYES, MAY CAUSE MINOR IRRITATION IN  
CASE OF EYE CONTACT, FLUSH THOROUGHLY WITH WATER FOR  
15 MINUTES IF IRRITATION PERSISTS SEEK MEDICAL ATTENTION**

### STORAGE AND DISPOSAL

STORE AT ROOM TEMPERATURE -DO NOT STORE IN DIRECT SUN LIGHT  
RINSE CONTAINER, RINSE WATER MAY BE DISPOSED IN WASTE SYSTEM  
CONTAINER MAY BE RECYCLED OR DISPOSED OF IN LAND FILL

Registered U.S. Patent Office

**NET CONTENTS: 55 GALLONS / 207.9 LITERS**

**NET WEIGHT: 495LBS / 225.5 KILOS**

## APPLICATION RATES (CONT.)

### CLEANING EMITTERS

In a plastic container mix enough SURE DRIP with an equal amount of water to submerge emitters. Let stand for 24 hours, then rinse thoroughly before use.

### CLEANING FILTER TANKS

Pour 1 gallon SURE DRIP directly into each tank, let stand for 24 hours then back flush tanks.

### WEEKLY MAINTENANCE

#### TREES AND VINES

Apply 2 to 2 1/2 ounces of SURE DRIP per acre.

#### SUB SURFACE & OTHER IRRIGATION SYSTEM

Apply 3 to 3 1/2 ounces of SURE DRIP per acre. Let stand in system for 24hrs.

**APPLICATION:** Apply prior to ending the irrigation cycle. Total the number of ounces needed to properly treat your system. Divide the total ounces by the length of time in minutes it takes to reach the end of the system. Dividing the ounces from the minutes will provide the number of ounces to be injected per minute.

#### DETERMINING THE AMOUNT OF OUNCES INJECTED PER MINUTE:

Example - 50 acres of sub surface irrigation at the rate of 3.5 ounces per acres = 175 ounces. The length of time is 25 minutes. The equation, 175 divided by 25 = 7.0 ounces. Rate of injection is 7.0 ounces per minute for the last 25 minutes of the irrigation cycle.

### WINTERIZING

Apply 1 gallon of SURE DRIP per every 10 acres

**APPLICATION:** Calculate the number of gallons needed to properly treat your system, convert the gallons into ounces. Divide the total amount of ounces by the length of time in minutes it takes to fill your system. Dividing the ounces from the minutes will provide the number of ounces to be injected into the system per minute to achieve equal distribution throughout the entire system. Let stand in system until next season, then open all line ends and flush system thoroughly before use.

#### DETERMINING THE AMOUNT OF OUNCES INJECTED PER MINUTE:

Example- 50 acres of vines at the rate of 1 gal per every 10 acres = 5 gals or 640 ounces, The length of time is 25 minutes. The equation, 640 divided by 25 = 25.6 ounces to be injected into the system per minute for the first 25 minutes from when starting the system. Allow material to reach all line ends and let stand until the next season, then open all line ends and flush the system before use.

MANUFACTURED EXCLUSIVELY FOR:

BioTec Industrial Inc.

P.O. Box 8344

Fresno, CA 93747

TOLLFREE (855) XX ODORS