Biolec Industrial Inc.


# **ODOR NEUTRALIZER**

## **RUBBISH AND COMPOST**

**INSTANTLY ELIMINATE ODORS ON CONTACT** 

TO DEMO ODOR NEUTRALIZER AT NO COST CALL TOLLFREE (855) XX ODORS

#### **ADVANCED BACTERIAL ENZYME COMBATANT**



# **ODOR NEUTRALIZER**

# **ADVANCED BACTERIAL ENZYME COMBATANT**

**ODOR NEUTRALIZER** is an advancement in bio-technology. A Botanical Base, Bacterial Enzyme Combatant that effectively neutralizes pathogens and completely suppresses odor producing bacteria instantly on contact without the use of masking agents or fragrances.

Use **ODOR NEUTRALIZER** as a preventive spray by treating the incoming trash. Spray down travel lanes to control odors caused by seepage of incoming trucks. Quickly spray empty trucks, roll-offs and bins before leaving the facility. Treat all material used for compost to neutralize pathogens, promote biodegradation and reduce the holding period needed to sterilize compost before use. Use with perimeter misters to prevent airborne bacteria from drifting and maintain an odorless environment at the facility and with the surrounding neighbors. **ODOR NEUTRALIZER will not clog emitters.** 

TO DEMO ODOR NEUTRALIZER AT NO COST CALL TOLLFREE (855) XX ODORS













www.biotecindustrial.com

## **ODOR NEUTRALIZER**

**BACTERIAL ENZYME COMPLEX** 

## APPLICATION RATES (pph)

#### **IN LINE SPRAY SYSTEMS**

Inject or dose 1 gallon of ODOR NEUTRALIZER per every 200 gallons of water. Tank premix 1-200.

Adjust the volume of spray to meet the rate of speed rubbish travels beneath spray tips for proper coverage.

#### **HOT & COLD PRESSURE WASHERS**

#### ODOR CONTROL

Calibrate equipment to dispense 1 gallon of ODOR NEUTRALIZER into a minimum of 150 gallons of water. Using a wide fan tip, make one pass over empty bins and roll-offs. Spray empty trucks as needed.

#### CLEANING

Calibrate washer to dispense **ODOR NEUTRALIZER** at the rate of 1 - 200 gallons of water.

#### **MISTING SYSTEMS**

Meter 1 gallon of **ODOR NEUTRALIZER** per every 400 gallons of water. ODOR NEUTRALIZER will maintain a clean flowing system and will not clog emitters.

### **COMPOST**

Mix 1 gallon of ODOR NEUTRALIZER with a minimum of 200 up to 300 gallons of water. Spray over stockpiles using a Water Truck or other high volume dispenser. Apply as needed or saturate pile.

### Biolec Industrial Inc.

# ODOR NEUTRALIZER

**BACTERIAL ENZYME COMBATANT** 

## **INSTANTLY ELIMINATES ODORS**

- > ADVANCED BOTANICAL BASE FORMULA
- >MADE WITH ALL USP GRADE INGREDIENTS
- > CHEMICAL FREE
- > DOES NOT MASK OR SCENT ODORS
- > WORKS INSTANTLY ON CONTACT
- > SUPPRESSES ODOR CAUSING BACTERIA
- > NEUTRALIZE PATHOGENS
- > PROMOTES BIODEGRADATION
- > EASILY APPLIED
- > NON TOXIC / NON HAZARDOUS
- > BIODEGRADABLE

### CAUTION

#### KEEPOUTOFTHEREACHOFCHILDREN

AVOID CONTACT WITH EYES,& SKIN. MAY CAUSE MINOR IRRITATION IN CASE OF EYE CONTACT, FLUSH THROUGHLY WITH WATER FOR 15 MINUTES SKIN CONTACT, RINSE SKIN THROUGHLY, PROLONGED CONTACT MAY CAUSE SKIN IRRITATION TO OPEN CUTS OR SORES IF NOT RINSED IMMEDIATELY. IF IRRITATION PERSISTS SEEK MEDICAL ATTENTION

#### *WARRANTY*

BECAUSE THE MANUFACTURER HAS NO CONTROL OVER THE USE OF THIS PRODUCT, NO WARRANTY IS EXPRESSED OR IMPLIED. IN NO CASE WILL THE MANUFACTURER' BE HELD RESPONSIBLE FOR DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT ACCORDING TO THE DIRECTIONS OR USE.

#### STORAGE AND DISPOSAL

STORE IN A COOL DRY PLACE INACCESABLE TO CHILDREN.STORE AT ROOM TEMPERATURE. DO NOT STORE IN DIRECT SUNLIGHT.RINSE CONTAINER. RINSE WATER MAY BE DISPOSED IN WASTE WATER SYSTEM. CONTAINER MAY BE RECYCLED OR DISPOSED OF IN SANITARY LAND FILL

### NET CONTENTS 275 GALLONS/NET WEIGHT 2640

# **ODOR NEUTRALIZER**

BACTERIAL ENZYME COMPLEX

# ASPHALT AND CONCRETE WATER TRUCK AND STREET SWEEPER MIX

First fill water tanks half way or more before adding ODOR NEUTRALIZER to reduce foaming. Use one gallon of ODOR NUETRALIZER per every 200 gallons of water. Apply as needed

#### **ACTIVE INGREDIENTS:**

5.00%......PROPRIETARY (H-C-L) USP 2.00% ......PROPRIETARY (USP) 5.00%......PROPRIETARY (USP) 25.00% .....PROPRIETARY (USP) 10.00%.....PROPRIETARY (USP)

22.00% .....PROPRIETARY (USP) 20.00%.....PROPRIETARY (USP)

10.00%.....PROPRIETARY (USP)

1.00%.....INERT

**REGISTERED U.S. PATENT OFFICE** 

#### Biolec Industrial Inc.

MANUFACTURED BY
BIOTEC Industrial Inc.
P.O. Box 8344
Fresno , CA 93747
TOLLFREE (855) XX ODORS

WWW.biotecindustrial.com